




Safety Eyewear



Marking on frame




Symbol for resistance to high speed particles (where applicable)

Mechanical strength	
none	without mechanical strength (filters only)
S	increased strength (filters only)
F	low energy impact (45 m/s)
B	medium energy impact (120 m/s)
A	high energy impact (190 m/s)
T	tested at extreme temperatures (-5 °C and +55 °C)

Field(s) of use (where applicable)

Designation	Description of application areas
none	General use Non specific mechanical risks, risks due to UV and/or visible IR light
3	Liquids Liquids (droplets and splashes)
4	Coarse dust particles Dust with > 5 µm grain size
5	Gas and fine dust particles Gas, vapour, mist, smoke, and dust with < 5 µm grain size
8	Short circuit electric arc Electric arc due to short circuit in electrical equipment
9	"Molten metal and hot solids" Splashes of molten metal and penetration of hot solids

Marking on lens



Scale numbers (filters only)

Identification of the manufacturer

Optical class

Symbol for mechanical strength

Mechanical strength	
none	without mechanical strength (filters only)
S	increased strength (filters only)
F	low energy impact (45 m/s)
B	medium energy impact (120 m/s)
A	high energy impact (190 m/s)
T	tested at extreme temperatures (-5 °C and +55 °C)

Symbol for non adherence of molten metal and resistance to penetration of hot solids (optional)

Symbol for resistance to surface damage by fine particles (optional)

Symbol for resistance to fogging (optional)

Certification mark

## Safety Spectacles



9160 265



9160 068



9160 065



### uvex i-vo

- Fashionable safety spectacles with adjustable side arms
- Reliable protection provided by its perfect fit: multi-level side arm lengths allow the wearer to adjust the spectacles to suit their own face shape
- Soft, uvex quattroflex arms and soft components at the nose and forehead ensure a comfortable, pressure-free fit
- the shape of the lenses ensures unrestricted peripheral vision

uvex i-vo			
<b>Art. no.</b>	9160 265	9160 065	9160 068
<b>Replacement lens</b>	9160 255	9160 055	
<b>Design</b>	uvex supravision excellence	uvex supravision sapphire	uvex supravision sapphire sunglare filter
<b>Standard</b>	EN 166, EN 170	EN 166, EN 170	EN 166, EN 172
<b>Frame</b>	blue, orange W 166 FT CE UV 400	blue, orange W 166 FT CE PC clear UV 400	blue, orange W 166 FT CE PC brown UV 400
<b>Lens</b>	PC clear 2C-12 W 1 FTKN CE	2C-12 W 1 FT CE	5-25 W 1 FT CE



9198 256



9198 285



9198 237



9198 064

### uvex pheos cx2

- "X"-branded safety spectacles with a modern, sporty design
- comfortable protection with the X-tended eye shield
- X-twist side arm technology delivers non-slip fit for optimum protection
- duo-spherical lens delivers excellent field of vision
- large field of vision
- innovative uvex duo component technology for maximum wearer comfort
- excellent ventilation around the eye area
- can easily be combined with other PPE

uvex pheos cx2				
<b>Art. no.</b>	9198256	9198237	9198285	9198064
<b>Version</b>	uvex supravision excellence	uvex supravision excellence sunglare filter	uvex supravision excellence	uvex supravision excellence sunglare filter
<b>Standard</b>	EN 166, EN 170	EN 166, EN 172	EN 166, EN 170	EN 166, EN 172
<b>Frame</b>	black, light blue W 166 FT CE	white, black W 166 FT CE	black, yellow W 166 FT CE	white, black W 166 FT CE
<b>Lens</b>	PC clear UV 400 2C-12 W 1 FTKN CE	PC grey 23% UV 400 5-25 W 1 FTKN CE	PC amber UV 400 2C-12 W 1 FTKN CE	PC CBR65 UV 400 5-14 W 1 FTKN CE
<b>Retail unit</b>	5	5	5	5