



Hearing Protection

Uvex

Hearing Protection

Disposable ear plugs



uvex xact-fit

- disposable earplugs uniquely shaped to match the anatomy of the ear canal
- tapered plug shape ensures natural, pressure free fit – maximising comfort and protection levels
- left / right pod carriers simplify fitting and ensure accurate fit every-time
- replacement earplugs can be dispensed through the standard uvex wall mounted dispenser unit
- sealed PU foam reduces the potential for contamination
- adjustable neck cord can be altered to wearers requirements for increased safety

uvex xact-fit		uvex xact-fit replacement earplugs	
Art. no.	2124001	2124002	
Design	with reusable pin	replacement earplugs	
Standard	EN 352-2		
	additional requirement: W		
SNR	26 dB		
Colour	lime	lime	
Size	M	M	
Packaging	50 pairs, paired in mini box	250 pairs, 5 pairs, packed in mini box	

SNR: 26 dB	H: 28 dB	M: 23 dB	L: 19 dB					
f/Hz	63	125	250	500	1000	2000	4000	8000
MA dB	16.6	19.4	22.0	25.6	27.5	31.8	34.4	36.9
SD dB	5.4	4.9	4.2	4.9	4.7	3.8	4.4	6.0
APV dB	11.2	14.5	17.8	20.7	22.8	28.0	30.0	30.9



uvex hi-com

- delivers low, flat attenuation allowing for excellent speech and sound recognition
- available in two colours
- large surface area delivers softer acoustics and absorbs inner ear sounds which can become obvious when wearing hearing protection in quieter areas

uvex hi-com				
Art. no.	2112100	2112101	2112095	2112106
Design	without cord	with cord	without cord	without cord
Standard	EN 352-2	EN 352-2	EN 352-2	EN 352-2
	additional requirement: W	additional requirement: W	additional requirement: W	additional requirement: W
SNR	24 dB	24 dB	24 dB	24 dB
Colour	lime	lime	lime	beige
Size	M	M	M	M
Packaging	200 pairs, packed in pairs	100 pairs, packed in pairs	100 pairs, Mini dispenser box packed in pairs	200 pairs, packed in pairs

SNR: 24 dB	H: 26 dB	M: 20 dB	L: 18 dB					
f/Hz	63	125	250	500	1000	2000	4000	8000
MA dB	17.5	20.0	20.4	22.8	24.6	31.2	37.5	40.3
SD dB	6.4	2.9	3.2	4.7	5.1	5.0	5.9	6.6
APV dB	11.2	17.0	17.2	18.1	19.5	26.2	31.6	33.7



Find the right hearing protection for your needs with the uvex Decibel app. Available as a free download in the iTunes Store.



Wall-mounted dispenser

- plexiglas wall-mounted dispenser, suitable for uvex x-fit (2112001, 2112010, 2112011), uvex com4-fit (2112004, 2112012), uvex one-fit (2112045), uvex xtra-fit (2112060), uvex hi-com (2112100, 2112101, 2112106, 2112114).

Wall mounted dispenser	
Art. no.	2134000
Colour	transparent
Packaging	1 unit
Earplug box not included.	

Hearing Protection

Banded hearing protection



2125361



uvex x-cap

- ergonomically shaped banded ear protector for optimal positioning in front of the chin
- ergonomically shaped earplugs provide a high level of wearer comfort

uvex x-cap	
Art. no.	2125361 2125351
Design	with band replacement earplugs
Standard	EN 352-2 additional requirement: W, E ₃
SNR	24 dB
Colour	grey, sky blue, lime sky blue, lime
Packaging	15 per box 60 pairs, bagged in 5 pairs in zip-top polythene bag

SNR: 24 dB	H: 27 dB	M: 19 dB	L: 18 dB						
f/Hz	63	125	250	500	1000	2000	4000	8000	
MA dB	23.7	22.0	21.6	19.0	23.8	31.9	39.6	39.6	
SD dB	4.0	2.9	4.7	4.3	3.6	4.0	2.7	3.7	
APV dB	19.7	19.1	16.9	14.7	20.2	27.9	36.9	35.9	



2125344



uvex x-fold

- ergonomically shaped banded ear protector for optimal positioning in front of the chin which eliminates noise transfer on contact
- ergonomically shaped replacement earplugs for optimal wearer comfort
- foldable banded ear protectors make storage easy

uvex x-fold	
Art. no.	2125344 2125351
Design	with foldable band replacement earplugs
Standard	EN 352-2
SNR	23 dB
Colour	grey, sky blue, lime sky blue, lime
Packaging	5 per box 60 pairs, bagged in 5 pairs in zip-top polythene bag

SNR: 23 dB	H: 26 dB	M: 18 dB	L: 17 dB						
f/Hz	63	125	250	500	1000	2000	4000	8000	
MA dB	24.2	23.8	20.5	18.5	21.6	31.3	36.3	39.4	
SD dB	4.4	3.2	3.4	4.7	2.6	3.6	2.5	3.3	
APV dB	19.7	20.6	17.1	13.8	19.0	27.8	33.9	36.1	



2125372

uvex xact-band

- banded ear protector
- replacement earplugs can be dispensed through the standard uvex wall mounted dispenser unit
- ergonomically shaped plugs create a perfect fit
- thumb indentations on the stems for quick and easy fitting
- integrated sound absorbers reduce noise transmission through the band
- extremely low weight – just 4 grams

uvex xact-band		
Art. no.	2125372 2124002 2124003	
Design	with band replacement earplugs replacement earplugs	
Standard	EN 352-2	
SNR	26 dB	
Colour	grey, sky-blue, lime lime lime	
Packaging	5 units 250 pairs, 5 pairs 400 pairs, paired in mini box loose in the refill box	

SNR: 26 dB	H: 29 dB	M: 22 dB	L: 21 dB						
f/Hz	63	125	250	500	1000	2000	4000	8000	
MA dB	21.5	23.3	24.7	25.3	27.1	33.0	37.3	38.5	
SD dB	3.6	3.6	4.7	6.0	5.5	2.7	4.3	4.9	
APV dB	17.9	19.7	20.0	19.3	21.5	30.3	33.0	33.6	